This is an electronic reprint of the original article.
This reprint may differ from the original in pagination and typographic detail.

Zhang, Han; Bao, Qiaoliang; Sun, Zhipei

Introduction to two-dimensional layered materials for ultrafast lasers

Published in:
Photonics Research

DOI:
[10.1364/PRJ.6.00TDL1](https://doi.org/10.1364/PRJ.6.00TDL1)

Published: 01/10/2018

Document Version
Publisher's PDF, also known as Version of record

Please cite the original version:
Zhang, H., Bao, Q., & Sun, Z. (2018). Introduction to two-dimensional layered materials for ultrafast lasers. *Photonics Research*, 6(10), TDL1-TDL2. <https://doi.org/10.1364/PRJ.6.00TDL1>

This material is protected by copyright and other intellectual property rights, and duplication or sale of all or part of any of the repository collections is not permitted, except that material may be duplicated by you for your research use or educational purposes in electronic or print form. You must obtain permission for any other use. Electronic or print copies may not be offered, whether for sale or otherwise to anyone who is not an authorised user.

PHOTONICS Research

Introduction to two-dimensional layered materials for ultrafast lasers

HAN ZHANG,^{1,4} QIAOLIANG BAO,^{2,5} AND ZHIPEI SUN^{3,6}

¹Collaborative Innovation Center for Optoelectronic Science & Technology, International Collaborative Laboratory of 2D Materials for Optoelectronics Science and Technology of Ministry of Education, College of Optoelectronic Engineering, Shenzhen 518060, China

²Department of Materials Science and Engineering, Monash University, Clayton, Victoria 3800, Australia

³Department of Electronics and Nanoengineering, QTF Centre of Excellence, Aalto University, Tietotie, Finland

⁴e-mail: hzhang@szu.edu.cn

⁵e-mail: qiaoliang.bao@monash.edu

⁶e-mail: zhipei.sun@aalto.fi

Received 18 September 2018; posted 18 September 2018 (Doc. ID 346084); published 1 October 2018

We introduce the background and motivation of this feature issue of two-dimensional layered materials for ultrafast lasers. A brief summary of the seven collected articles in this feature issue is also given. © 2018

Chinese Laser Press

OCIS codes: (140.7090) Ultrafast lasers; (190.4400) Nonlinear optics, materials; (230.4110) Modulators.

<https://doi.org/10.1364/PRJ.6.00TDL1>

Welcome to the Photonics Research Feature Issue on **Two-Dimensional Layered Materials for Ultrafast Lasers**.

Two-dimensional (2D) layered materials have attracted considerable interest for photonics and optoelectronics applications, due to their unique structure and strong light-matter interaction. Indeed, 2D materials have been widely investigated for fundamental physics as well as applied science. In particular, there is a great potential for 2D materials based optical modulators and ultrafast photonics. The intent of this special issue is to provide a general overview of new advances in the selected fields of 2D materials photonics from perspective features to applications.

This issue combines 7 invited articles on 2D materials based ultrafast lasers and all-optical modulators. The first article investigates the saturable absorption (SA) properties of different Bi_2Se_3 samples with micro P-scan method [1]. Influence of the second surface state and thickness on the SA is studied. Conclusively, the SA properties can be tuned by changing the excitation wavelength and the sample thickness. The second article reports WSe_2 and MoSe_2 based SA devices with enhanced modulation depth up to 31.25% [2]. Then the authors have used the devices to demonstrate passively Q-switched lasers with high signal-to-noise ratio (up to 72 dB). The third article is from South China Normal University (China) [3]. This contribution reports an all-fiber broadband resonator by depositing graphene onto a microfiber knot, with which high-repetition Er-doped and Yb-doped fiber lasers have been demonstrated. Such a broadband micro-fiber knot resonator can be applied to achieve high repetition ultrafast lasers for various applications (e.g., optical frequency

comb generation). The fourth article is a review paper from Ciyuan Qiu's group at Shanghai Jiao Tong University, China [4]. This article reviews the recent work on thermo-optic all-optical devices based on 2D materials. Various thermo-optic mechanisms have been discussed. The fifth article is from Jun Han Li's group at University of Seoul, South Korea [5]. For the first time, this article demonstrates a CoSb_3 skutterudite based femtosecond fiber laser with pulse width of ~ 833 fs and spectral width of ~ 3.4 nm. The sixth article demonstrates a novel 2D TiS_2 nanomaterial with strong SA [6]. With this 2D nanomaterial deposited on the fiber end facet, Q-switched and mode-locked lasers have been achieved. This contribution highlights the potential of TiS_2 nanomaterials for ultrafast pulse generation. The seventh article is from Zhengqian Luo's group at Xiamen University, China [7]. This article demonstrates a single-longitudinal-mode Er-doped fiber laser passively Q-switched by a few-layer Bi_2Se_3 saturable absorber. Stable single-frequency pulses with a linewidth of 212 kHz have been generated.

These collected articles in this special issue cover the novel 2D materials based ultrafast lasers and all optical modulators. We hope you will find this Photonics Research Feature Issue to be an interesting and useful reference that will stimulate your further research and applications in this exciting field.

REFERENCES

1. J. Zhang, T. Jiang, T. Zhou, H. Ouyang, C. Zhang, Z. Xin, Z. Wang, and X. A. Cheng, "Saturated absorption of different layered Bi_2Se_3 films in the resonance zone," *Photon. Res.* **6**, C8–C14 (2018).

2. W. Liu, M. Liu, H. Han, S. Fang, H. Teng, M. Lei, and Z. Wei, "Nonlinear optical properties of WSe₂ and MoSe₂ films and their applications in passively Q-switched erbium doped fiber lasers," *Photon. Res.* **6**, C15–C21 (2018).
3. M. Liu, R. Tang, A.-P. Luo, W.-C. Xu, and Z.-C. Luo, "Graphene-decorated microfiber knot as a broadband resonator for ultrahigh-repetition-rate pulse fiber lasers," *Photon. Res.* **6**, C1–C7 (2018).
4. K. Wu, Y. Wang, C. Qiu, and J. Chen, "Thermo-optic all-optical devices based on two-dimensional materials," *Photon. Res.* **6**, C22–C28 (2018).
5. J. Lee, Y. Kim, K. Lee, and J. H. Lee, "Femtosecond mode-locking of a fiber laser using a CoSb₃-skutterudite-based saturable absorber," *Photon. Res.* **6**, C36–C43 (2018).
6. X. Zhu, S. Chen, M. Zhang, L. Chen, Q. Wu, J. Zhao, Q. Jiang, Z. Zheng, and H. Zhang, "TiS₂-based saturable absorber for ultrafast fiber lasers," *Photon. Res.* **6**, C44–C48 (2018).
7. W. Li, J. Zou, Y. Huang, K. Wang, T. Du, S. Jiang, and Z. Luo, "212-kHz-linewidth, transform-limited pulses from a single-frequency Q-switched fiber laser based on a few-layer Bi₂Se₃ saturable absorber," *Photon. Res.* **6**, C29–C35 (2018).