This is an electronic reprint of the original article.
This reprint may differ from the original in pagination and typographic detail.

Holzbaur, Lukas; Freij-Hollanti, Ragnar; Wachter-Zeh, Antonia; Hollanti, Camilla
Private streaming with convolutional codes

Published in:
2018 IEEE Information Theory Workshop, ITW 2018

DOI:
[10.1109/ITW.2018.8613505](https://doi.org/10.1109/ITW.2018.8613505)

Published: 15/01/2019

Document Version
Peer reviewed version

Please cite the original version:
Holzbaur, L., Freij-Hollanti, R., Wachter-Zeh, A., & Hollanti, C. (2019). Private streaming with convolutional codes. In *2018 IEEE Information Theory Workshop, ITW 2018* (pp. 550-554). [8613505] (Information Theory Workshop). IEEE. <https://doi.org/10.1109/ITW.2018.8613505>

This material is protected by copyright and other intellectual property rights, and duplication or sale of all or part of any of the repository collections is not permitted, except that material may be duplicated by you for your research use or educational purposes in electronic or print form. You must obtain permission for any other use. Electronic or print copies may not be offered, whether for sale or otherwise to anyone who is not an authorised user.

Private Streaming with Convolutional Codes

Lukas Holzbaur*, Ragnar Freij-Hollanti*, Antonia Wachter-Zeh*, Camilla Hollanti†

*Institute for Communications Engineering, Technical University of Munich, Germany

Email: {lukas.holzbaur, ragnar.freij, antonia.wachter-zeh}@tum.de

†Department of Mathematics and Systems Analysis, Aalto University, Finland

Email: camilla.hollanti@aalto.fi

Abstract—Recently, information-theoretic private information retrieval (PIR) from coded storage systems has gained a lot of attention, and a general star product PIR scheme was proposed. In this paper, the star product scheme is adopted, with appropriate modifications, to the case of private (e.g., video) streaming. It is assumed that the files to be streamed are stored on n servers in a coded form, and the streaming is carried out via a convolutional code. The star product is defined for this special case, and various properties are analyzed in the baseline case, with colluding servers, as well as with straggling and byzantine servers. The achievable PIR rates are derived for the given models.

I. INTRODUCTION

Private information retrieval (PIR) studies the problem when a user wants to retrieve a file from a storage system without revealing the identity of the file in question to the storage servers. The original problem was introduced in [1], [2], and more recently the problem setting was extended to the case where the files are stored on the servers in an encoded form rather than merely being replicated [3]–[5]. The capacity of PIR with and without colluding and byzantine servers was derived in [6]–[9]. In [10], a so-called star product PIR scheme was introduced. The scheme works with any linear code as a storage code and retrieval code, and achieves the highest rate when both codes are generalized Reed-Solomon codes.

Currently Netflix and Youtube alone are occupying more than 50% of Internet downstream traffic. Motivated by this huge increase in multi-media streaming, we will consider *private streaming* suitable for distributed systems sharing encoded streams. In a wider context, this is related to the problem of private stream search (PSS), which has been considered, e.g., in [11]–[13], typically using cryptographic assumptions. In this paper, we require information-theoretic privacy, namely that the servers gain zero information on the index of the file requested for streaming, based on the received query.

Since convolutional codes are suitable for streaming and the star product scheme is efficient and flexible for PIR [14], [15], we will design a scheme that combines these approaches.

The work of L. Holzbaur, R. Freij-Hollanti, and A. Wachter-Zeh was supported by the Technical University of Munich – Institute for Advanced Study, funded by the German Excellence Initiative and European Union 7th Framework Programme under Grant Agreement No. 291763 and the German Research Foundation (Deutsche Forschungsgemeinschaft, DFG) under Grant No. WA3907/1-1. The work of C. Hollanti was supported by the Academy of Finland, under Grants No. 276031, 282938, and 303819, and by the Technical University of Munich – Institute for Advanced Study, funded by the German Excellence Initiative and the EU 7th Framework Programme under Grant Agreement No. 291763, via a Hans Fischer Fellowship.

Convolutional codes are sensitive to burst errors but good at handling well-distributed errors. As burst errors are unlikely on, e.g., an additive white Gaussian noise (AWGN) channel, they exhibit good performance and have a lower bit error rate on such channels than comparable block codes with the same rate. See [16, Section V] for more details.

The main contributions of this paper are the following.

- To the best of the authors’ knowledge, information-theoretically private streaming is considered for the first time.
- Memory is introduced into the star product PIR scheme by a block convolutional structure, improving the performance of the decoder for a large class of channels.
- Two schemes for different channels, namely a block erasure channel and a non-bursty channel, e.g., an AWGN channel, are given. Both can operate on the same database and the user can adapt the queries according to the current channel conditions.

II. PRELIMINARIES

We denote by $[a, b]$ the set of integers $\{i \mid a \leq i \leq b\}$ and $[b] = [1, b]$. If c and d are vectors of the same length n , we define their *star product* as the coordinate-wise product

$$c \star d = (c_1 d_1, \dots, c_n d_n).$$

Further, if $\mathcal{C}$ and $\mathcal{D}$ are linear codes of same length, we define their star product to be the linear code given by the span

$$\mathcal{C} \star \mathcal{D} = \langle c \star d \mid c \in \mathcal{C}, d \in \mathcal{D} \rangle.$$

Throughout the paper, $\mathbb{F}$ will denote an arbitrary finite field.

A. Convolutional Codes

Definition 1 (Convolutional code). Let $G_1, \dots, G_{M+1} \in \mathbb{F}^{k \times n}$ and $\text{rank}(G_1) = k$. Define an (n, k) convolutional code $\mathcal{C}_c$ as

$$Y_i = \sum_{j=1}^{M+1} X_{i-j+1} G_j, \quad (1)$$

where $X_0, \dots, X_{-M+1} = 0$ and $X_j \in \mathbb{F}^k$.

We refer to M as the *memory* of $\mathcal{C}_c$, and if $M = 1$, we say that $\mathcal{C}_c$ is a *unit memory* (UM) code. In this paper, we consider *terminated* convolutional codes, i.e., Y is not a semi-infinite vector, but $Y = (Y_1, Y_2, \dots, Y_{\ell+M})$ with Y_i as in (1).

An (n, k) -code denotes a linear block code of length n and dimension k . A generalized Reed–Solomon (GRS) code

$\mathcal{RS}(n, k, v)$ is an (n, k) -code with minimum distance $d = n - k + 1$ and generator matrix

$$G = \begin{pmatrix} 1 & 1 & \dots & 1 \\ \alpha_1 & \alpha_2 & \dots & \alpha_n \\ \vdots & \vdots & \ddots & \vdots \\ \alpha_1^{k-1} & \alpha_2^{k-1} & \dots & \alpha_n^{k-1} \end{pmatrix} \begin{pmatrix} v_1 & 0 & \dots & 0 \\ 0 & v_2 & \dots & 0 \\ \vdots & \vdots & \ddots & \vdots \\ 0 & 0 & \dots & v_n \end{pmatrix},$$

where $\alpha_1, \dots, \alpha_n \in \mathbb{F}$ are distinct *evaluation points* and the v_j 's are all non-zero. If the choice of the v_j 's is not important, we sometimes write $\mathcal{RS}(n, k)$ code.

The distance measure of interest for convolutional codes is the *extended row distance* $\bar{d}_\ell^r$, which determines the minimum number of errors required for an error burst of ℓ blocks to occur. For UM codes this distance can be lower bounded by the *designed extended row distance*

$$\bar{d}_\ell^r = d_1 + (\ell - 1)d_\alpha + d_2, \quad \ell \geq 1, \quad (2)$$

where d_1 , d_2 , and d_α denote the distances of the codes generated by G_1 , G_2 , and $[G_1^T, G_2^T]^T$ respectively. In [16], a decoding algorithm is given, which is guaranteed to be successful if the number of errors does not exceed half the designed extended row distance for any ℓ , *i.e.*,

$$\sum_{j=s}^{\ell+s} w_H(w_j) < \frac{\bar{d}_\ell^r}{2}, \quad \forall s \in [\ell + M], \ell \in [0, \ell + M - s], \quad (3)$$

where w_j denotes the error vector of the j -th block. We refer to an (n, k) UM code for which d_α , d_1 and d_2 achieve the Singleton bound for block codes as an *optimal* (n, k) UM code.

B. Star Product PIR

We review the star product scheme for PIR from an arbitrary storage code, as introduced in [10]. Let $\mathcal{C}$ be an (n, k) code (the *storage code*) with generator matrix $G \in \mathbb{F}^{k \times n}$, storing m files $X^1, \dots, X^m \in \mathbb{F}^k$. This means that each server $j \in [n]$ stores a column Y_j of the matrix $Y = XG \in \mathbb{F}^{m \times n}$, where $X \in \mathbb{F}^{m \times k}$ is a *data matrix*, whose i -th row X^i represents the i -th file. The scheme we will describe allows a user to retrieve the file X^i without disclosing the index i .

Let $\mathcal{D}$ be a code of the same length n as $\mathcal{C}$. Let $D \in \mathbb{F}^{m \times n}$ be a matrix whose m rows are i.i.d. uniformly random codewords of $\mathcal{D}$. The query for the j -th server is given by

$$q_j^i = D_{\cdot, j} + e_i E_{1, j}, \quad (4)$$

where e_i denotes the i -th standard basis vector and $E = E_{1, \cdot} \in \mathbb{F}^{1 \times n}$ is a vector¹.

The servers now respond with the standard inner product of their $(m \times 1)$ stored vector Y_j and the query vector q_j^i which they received, so the response of the j -th server is the symbol

$$r_j^i = \langle q_j^i, Y_j \rangle = \sum_{s=1}^m D_{s, j} Y_j^s + E_{1, j} Y_j^i \in \mathbb{F}. \quad (5)$$

¹This notation is chosen to be consistent with the later sections when E will be a matrix.

Considering the n responses obtained as a vector in $\mathbb{F}^{1 \times n}$, we can write it as

$$r^i = \sum_{s=1}^m (D_{s, 1} Y_1^s, \dots, D_{s, n} Y_n^s) + (E_{1, 1} Y_1^i, \dots, E_{1, n} Y_n^i) \in \mathcal{C} \star \mathcal{D} + E \star Y^i.$$

Assuming E has weight $w_H(E) < d_{\mathcal{C} \star \mathcal{D}}$, erasure decoding in $\mathcal{C} \star \mathcal{D}$ now allows us to retrieve the vector $E \star Y^i$, which depends only on the desired file Y^i . The rate achieved by this scheme is given by

$$R_{PIR}^* = \frac{n - (k + t - 1)}{n}, \quad (6)$$

where t is the number of colluding servers, *i.e.*, the maximal number of servers that can exchange their queries such that the scheme is still private (see [10] for details). If the response is corrupted by channel erasures or a bounded number of malicious servers, the user first decodes the response in $\mathcal{C} \star (\mathcal{D} + E)$, as in [15]. This is discussed further in Section V.

III. PIR FROM CONVOLUTIONAL CODES

In this section, it is shown how a large file can be streamed with asymptotically no rate loss by designing, as per user's request, the retrieved symbols such that they are codewords of a convolutional code.

A. Storage Code

In this work we only consider Reed-Solomon codes for the storage code as they are a well suited choice for both the star product scheme and block convolutional codes. Denote by m the number of files $X^s \in \mathbb{F}^k, s \in [m]$, and by n the number of servers. The files are split into ℓ stripes $X_i^s \in \mathbb{F}^k$ and encoded with an $\mathcal{RS}(n, k)$ storage code $\mathcal{C}$ with evaluation points $\alpha_j, j \in [n]$. The j -th server stores the j -th symbol of every encoded stripe $Y_i^s \in \mathbb{F}^n$ (see Figure 1).

B. Query

We query for a linear combination of $M + 1$ stripes in each block and design the queries such that the responses are codewords of a convolutional code. Let $\mathcal{D}$ be an $\mathcal{RS}(n, t)$ code; the matrix $D \in \mathbb{F}^{(M+1)m \times n}$ as in (4); and $J \subset [n]$ with $|J| \leq d_{\mathcal{C} \star \mathcal{D}} - 1$. The query for the j -th server is given by²

$$q_j^i = D_{\cdot, j} + e_{zm+i} E_{z+1, j}, \quad z \in [0, M], \quad (7)$$

where e_i is the i -th standard basis vector and the matrix $E \in \mathbb{F}^{M+1 \times n}$ is given by

$$E_{z+1, j} = \begin{cases} \alpha_j^{zk}, & \text{if } j \in J \\ 0, & \text{otherwise} \end{cases}. \quad (8)$$

C. Response

The protocol consists of $\ell + M$ iterations in each of which the servers respond with the inner product of the query and a vector containing the stored symbols of $M + 1$ stripes of each file, depending on the iteration. In iteration ξ the response of server j is given by

$$r_{\xi, j}^i = \langle q_j^i, [Y_{\xi, j}, Y_{\xi-1, j}, \dots, Y_{\xi-M, j}]^T \rangle, \quad (9)$$

²Note that $E_{z+1, j}$ is a scalar.

Fig. 1. The queried symbols in iteration ξ and the query matrix, where $\text{Unif}(\mathcal{D})$ denotes i.i.d. uniformly random codewords from $\mathcal{D}$. The j -th server responds with the inner product of the two vectors marked with ellipses.

where $Y_{-M+1} = \dots = Y_0 = Y_{\ell+1} = \dots = Y_{\ell+M} = 0$ and $Y_\xi = X_\xi G$ denotes the matrix storing the ξ -th part of every file.

D. Decoding

The response is given by

$$r_\xi^i = \sum_{z=0}^M \sum_{s=1}^m \underbrace{Y_{\xi-z}^s \star D_{zm+s}}_{\in \mathcal{C} \star \mathcal{D}} + \underbrace{Y_{\xi-z}^i \star E_{z+1}}_{\in \mathcal{C} \star E_{z+1}}. \quad (10)$$

An illustration of the responses for UM codes is given in Figure 2.

Lemma 1. Let $|J| \geq k$. Given the responses $\{r_1^i, r_2^i, \dots, r_\ell^i\}$ the file X^i can be recovered.

Proof: By (8) the vectors E_{z+1} are designed such that for any $c \in \mathcal{C} \star E_{z+1}$, $z \in [0, M]$ it holds that $c_j = 0$, $\forall j \notin J$. As $|J| \leq d_{\mathcal{C} \star \mathcal{D}} - 1$ erasure decoding in $\mathcal{C} \star \mathcal{D}$ recovers the vector $\sum_{z=0}^M E_{z+1} \star Y_{\xi-z}^i = \sum_{z=0}^M X_{\xi-z}^i \cdot G_{\mathcal{C} \star E_{z+1}}$ in each iteration, where the $G_{\mathcal{C} \star E_{z+1}}$ are generator matrices of the storage code $\mathcal{C}$ with column multipliers E_{z+1} . Since $|J| \geq k$, each $G_{\mathcal{C} \star E_{z+1}}$ is of rank k and it follows that given the set $\{X_{\xi-M}^i, \dots, X_\xi^i\} \setminus X_z^i$ the stripe X_z^i can be determined uniquely. In the first iteration $X_{1-M} = \dots = X_0 = 0$ so X_1 can be recovered and recovery of the remaining stripes follows by induction. ■

As both $\mathcal{C}$ and $\mathcal{D}$ are GRS, the distance of the star product $\mathcal{C} \star \mathcal{D}$ is given by $d_{\mathcal{C} \star \mathcal{D}} = n - (k + t - 1) + 1$ and it follows that at most $d_{\mathcal{C} \star \mathcal{D}} - 1 = n - k - t + 1$ symbols can be downloaded in each iteration. The PIR rate is given by

$$R = \frac{\ell(n - (k + t - 1))}{(\ell + M)n}, \quad (11)$$

which approaches the PIR rate of [10] given in (6) for $\ell \rightarrow \infty$. The highest PIR rate in this setting is achieved for $|J| = k$ and $n = 2k + t - 1$.

Fig. 2. Illustration of the received symbols for $M = 1$.

IV. PROTECTING AGAINST BLOCK ERASURES

In the previous section, we showed how to design queries such that the symbols of the desired file recovered from the responses are symbols of a code of higher dimension and memory M . While this setting asymptotically achieves the same PIR rate as a comparable system that downloads blocks without memory, it offers no immediate advantages. In this section, we utilize the construction to design a PIR scheme that is able to stream files consisting of many stripes in the presence of burst block erasures, i.e., iterations where all the responses of the servers are lost. Since we are interested in streaming applications, decoding should be possible without a big delay and without querying for more data or retransmission of blocks. Therefore, we consider a sliding decoding window of N blocks and denote the maximum burst length of block erasures in a window by ϵ . To protect against these erasures, more symbols than in the setting of the previous section of each block have to be retrieved privately in each iteration.

Lemma 2. The number of symbols privately retrieved in each non-erased block has to satisfy $k \geq \frac{Nk}{N-\epsilon}$.

Proof: Losing ϵ consecutive blocks out of N blocks leaves $(N - \epsilon) \frac{Nk}{N-\epsilon} = Nk$ retrieved symbols in that window, the minimal number to recover the corresponding Nk message symbols. ■

Trivially $M \geq \epsilon$ has to hold, since otherwise a burst of $M + 1$ block erasures would make the received symbols independent of some stripe of the file and recovery impossible.

A. Query

The queries are similar to Section III-B, but by Lemma 2 it has to hold that $|J| \geq \frac{Nk}{N-\epsilon}$. The set J has to be chosen such that recovery of the file is possible in the presence of block erasures.

Definition 2. Let G_c be the generator matrix of a convolutional code of memory $M = \epsilon$ and (n, k) component codes generated by $G_{\mathcal{C} \star E_{z+1}}$, $z \in [0, M]$. We say that a set $J \subset [n]$ has the recovering property if

$$\text{rank} \left(G_c|_J^{\mathcal{R}} \right) = Nk$$

for any $\mathcal{R} = [\xi - N + \epsilon + 1, \xi]$; $\xi \in [\ell + M]$, where $G_c|_J^{\mathcal{R}}$ denotes the restriction of G_c to the positions in J in each block and to the blocks indexed by $\mathcal{R}$.

This assures that a burst of ϵ block erasures can be recovered while still within the window of N blocks.

B. Decoding

Decoding the queries to obtain the respective files consists of two main steps: erasure decoding to obtain the linear combination of desired symbols and recovering the stripes from these symbols.

Theorem 1. Let J be a set with the recovering property as in Definition 2 and $n \geq k + t - 1 + |J|$. For any set $\mathcal{R} = [\xi - N + \epsilon + 1, \dots, \xi]$; $\xi \in [\ell + M]$; the stripes $\{X_{\xi-N+1}^i, \dots, X_\xi^i\}$ can be recovered from the responses r_s^i , $s \in \mathcal{R}$.

Proof: The code $\mathcal{C} \star \mathcal{D}$ has distance $d_{\mathcal{C} \star \mathcal{D}} = n - (k + t - 1) + 1 \geq |J| + 1$, and it follows that the vector $\sum_{z=0}^M E_{z+1} \star Y_{\xi-z}^i = \sum_{z=0}^M X_{\xi-z}^i \cdot G_{\mathcal{C} \star E_{z+1}}$ can be recovered for any $\xi \in \mathcal{R}$. By Definition 2, the matrix generating these vectors has rank Nk and thus all N stripes in this window can be recovered. ■

C. Performance

Lemma 3. *The PIR rate is given by $R_{PIR}^b \leq (1 - \frac{\epsilon}{N}) \frac{\ell(n - (k+t-1))}{(\ell+M)n}$, with equality for $\hat{k} = \frac{Nk}{N-\epsilon}$.*

Proof: By definition, Nk information symbols have to be downloaded in each window of N blocks. In each round $d_{\mathcal{C} \star \mathcal{D}} - 1$ symbols of the $\hat{k}$ desired symbols can be downloaded. The PIR rate is hence given by

$$\begin{aligned} R_{PIR} &= \frac{\ell}{\ell + M} \frac{Nk}{\frac{Nk}{d_{\mathcal{C} \star \mathcal{D}} - 1} n} \leq \frac{\ell}{\ell + M} \frac{k(n - (k+t-1))}{\frac{Nk}{N-\epsilon} n} \\ &= \left(1 - \frac{\epsilon}{N}\right) \frac{\ell(n - (k+t-1))}{(\ell + M)n}. \end{aligned}$$

D. Examples

Example 1. *Consider the case where $\epsilon = 1$ and $N = 2$. In this case Lemma 2 gives $\hat{k} = 2k$ and the PIR rate for $\ell \rightarrow \infty$ is $R_{PIR} = \frac{1}{2} R_{PIR}^*$, where R_{PIR}^* is the rate achieved by the scheme in [10]. In this case, the same result can be achieved with a trivial scheme that downloads each block twice.*

Example 2. *Let $m = 3$, $M = 1$, $n = 6$, $k = 2$, $t = 1$, $N = 3$ and $\epsilon = 1$. Let $D \in \mathbb{F}^{6 \times 6}$ be a random matrix with 6 i.i.d. random codewords from an $\mathcal{RS}(n, t)$ code as rows and $J = \{4, 5, 6\}$. Assume the user wants to retrieve the second file X^2 . With (8) the query matrix is given by*

$$D + \begin{pmatrix} 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 1 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & \alpha_4^2 & \alpha_5^2 & \alpha_6^2 \\ 0 & 0 & 0 & 0 & 0 & 0 \end{pmatrix} \in \mathbb{F}^{6 \times 6}.$$

The query q_j^2 for the j -th server is given by the j -th column. In the first iteration the user obtains X_1^2 . Now assume the second block is lost. In the third and fourth iteration the nodes return $r_{3,j}^2 = \langle q_j^2, [Y_{3,j}, Y_{2,j}]^T \rangle$ and $r_{4,j}^2 = \langle q_j^2, [Y_{4,j}, Y_{3,j}]^T \rangle$. The user receives

$$\begin{aligned} r_3^i &= \sum_{s=1}^m (D_s \star Y_3^s + D_{M+s} \star Y_2^s) \\ &+ [0, 0, 0, Y_{3,4}^2 + \alpha_4^2 Y_{2,4}^2, Y_{3,5}^2 + \alpha_5^2 Y_{2,5}^2, Y_{3,6}^2 + \alpha_6^2 Y_{2,6}^2] \\ r_4^i &= \sum_{s=1}^m (D_s \star Y_4^s + D_{M+s} \star Y_3^s) \\ &+ [0, 0, 0, Y_{4,4}^2 + \alpha_4^2 Y_{3,4}^2, Y_{4,5}^2 + \alpha_5^2 Y_{3,5}^2, Y_{4,6}^2 + \alpha_6^2 Y_{3,6}^2] \end{aligned}$$

The distance of $\mathcal{C} \star \mathcal{D}$ is $d_{\mathcal{C} \star \mathcal{D}} = 4$ and treating positions 4–6 as erasures gives

$$\begin{aligned} &[Y_{3,(4:6)}^2 + \alpha_{4:6}^2 \star Y_{2,(4:6)}^2, Y_{4,(4:6)}^2 + \alpha_{4:6}^2 \star Y_{3,(4:6)}^2] \\ &= [X_2^2, X_3^2, X_4^2] \cdot \begin{pmatrix} G_{\mathcal{C} \star E_2}^{4:6} & & \\ G_{\mathcal{C} \star E_1}^{4:6} & G_{\mathcal{C} \star E_2}^{4:6} & \\ & G_{\mathcal{C} \star E_1}^{4:6} & \end{pmatrix} \\ &= [X_2^2, X_3^2, X_4^2] \cdot \begin{pmatrix} \alpha_4^2 & \alpha_5^2 & \alpha_6^2 \\ \alpha_4^3 & \alpha_5^3 & \alpha_6^3 \\ 1 & 1 & 1 \\ \alpha_4 & \alpha_5 & \alpha_6 \\ & 1 & 1 & 1 \\ & \alpha_4 & \alpha_5 & \alpha_6 \end{pmatrix}, \end{aligned} \quad (12)$$

where $\alpha_{4:6}^2 = [\alpha_4^2, \alpha_5^2, \alpha_6^2]$. If this matrix has full rank, i.e., J has the recovering property, the files X_2^2 , X_3^2 and X_4^2 can be recovered. Whether J has the recovering property depends on the choice of evaluation points. The proof that such evaluation points exist can be found in the extended version [17]. By (11) the PIR rate for $\ell \rightarrow \infty$ is given by $R_{PIR} = \frac{2}{3} \cdot \frac{6-2}{6} = \frac{4}{9}$.

V. PIR WITH BYZANTINE SERVERS AND CONVOLUTIONAL CODES

In this section, we consider incorrectly received responses, due to either byzantine servers or errors during transmission. We focus on constructions that result in a convolutional code of memory $M = 1$, i.e., UM codes. For these codes, the decoder introduced in [16] can efficiently decode up to half the designed extended row distance, by a combination of bounded minimum distance (BMD) decoding in the blocks and trellis based decoding with the Viterbi algorithm. A key step in this algorithm is decoding blocks in the cosets given by successfully decoded neighboring blocks. It is therefore imperative for a good performance to design the code such that these cosets have good distance properties. In the following we describe a scheme that achieves this goal in the PIR setting.

A. Query

We query for two stripes in each block (i.e., $M = 1$) and design the queries such that when one block can be decoded and both stripes are recovered, the neighboring blocks have good distance properties in the corresponding cosets.

Let $D \in \mathbb{F}^{2m \times n}$ be as in (4) and $\mathcal{D}$ be an $\mathcal{RS}(n, t)$ code. The query for the j -th server is given by

$$q_j^i = D_{\cdot,j} + e_i E_1 + e_{m+i} E_2, \quad (13)$$

where $E_1 = [a_j^{-k}]$, $E_2 = [a_j^{k+t-1}]$ and e_i is the i -th standard basis vector.

B. Response

The response to one query consists of $\ell + 1$ parts. In iteration ξ the response of server j is given by $r_{\xi,j}^i = \langle q_j^i, [Y_{\xi,j}, Y_{\xi-1,j}]^T \rangle$, where $Y_0 = Y_{\ell+1} = 0$ and $Y_\xi = X_\xi G$ denotes the matrix storing the ξ -th part of every file.

C. Decoding

The user receives

$$r_\xi^i = \underbrace{\sum_{s=1}^m (D_s \star Y_{\xi-1}^s + D_{m+s} \star Y_\xi^s)}_{\in \mathcal{C} \star \mathcal{D}} + \underbrace{E_1 \star Y_\xi^i}_{\in \mathcal{C} \star E_1} + \underbrace{E_2 \star Y_{\xi-1}^i}_{\in \mathcal{C} \star E_2} + w_\xi,$$

where w_ξ denotes the error vector of iteration ξ .

Lemma 4. *The codes $\mathcal{C} \star (\mathcal{D} + E_1 + E_2)$, $\mathcal{C} \star (\mathcal{D} + E_1)$, and $\mathcal{C} \star (\mathcal{D} + E_2)$ have respective distances $d_{\mathcal{C} \star (\mathcal{D} + E_1 + E_2)} = n - 3k - t + 2$ and $d_{\mathcal{C} \star (\mathcal{D} + E_1)} = d_{\mathcal{C} \star (\mathcal{D} + E_2)} = n - 2k - t + 2$. The codes $\mathcal{C} \star \mathcal{D}$, $\mathcal{C} \star E_1$ and $\mathcal{C} \star E_2$ intersect trivially.*

Proof: An $\mathcal{RS}(n, k, 1)$ code is the evaluation of all polynomials $f(z)$ with $\deg(f(z)) \leq k - 1$ at the evaluation points α_j . Multiplying any polynomials corresponding to the codes $\mathcal{C}$, $\mathcal{D}$, E_1 and E_2 gives

$$\begin{aligned} f_{\mathcal{C}}(z) \cdot (f_{\mathcal{D}}(z) + u'_{-k}z^{-k} + u'_{k+t-1}z^{k+t-1}) \\ = \underbrace{\sum_{\iota=0}^{k+t-2} u_{\iota}z^{\iota}}_{\mathcal{C} \star \mathcal{D}} + \underbrace{\sum_{\iota=-k}^{-1} u_{\iota}z^{\iota}}_{\mathcal{C} \star E_1} + \underbrace{\sum_{\iota=k+t-1}^{2k+t-2} u_{\iota}z^{\iota}}_{\mathcal{C} \star E_2} = z^{-k} \sum_{\iota=0}^{3k+t-2} u_{\iota-k}z^{\iota}, \end{aligned}$$

where $u_{\iota} \in \mathbb{F}$. Evaluating this polynomial at α_j , $j \in [n]$, gives a codeword of $\mathcal{C} \star (\mathcal{D} + E_1 + E_2) = \mathcal{RS}(n, 3k + t - 1, [\alpha_j^{-k}])$. By the same argument, it holds that $\mathcal{C} \star (\mathcal{D} + E_1) = \mathcal{RS}(n, 2k + t - 1, [\alpha_j^{-k}])$ and $\mathcal{C} \star (\mathcal{D} + E_2) = \mathcal{RS}(n, 2k + t - 1, 1)$. The distances follow from the Singleton bound and the trivial intersection from the distinct powers in the polynomials. ■

The large number of states makes trellis decoding of the convolutional code infeasible. In [16] an algorithm combining BMD decoding in the blocks and Viterbi decoding on a reduced trellis is given, with decoding complexity only cubic in n , if the complexity of the block decoders is quadratic in n . We give a brief description of this algorithm and show how it can be applied to decode the responses.

- 1) Decode each received block in $\mathcal{C}_{\alpha} = \mathcal{C} \star (\mathcal{D} + E_1 + E_2)$, an $\mathcal{RS}(n, 3k + t - 1)$ code of distance $d_{\alpha} = n - 3k - t + 2$.
- 2) From the blocks successfully decoded in step 1) decode l_F steps forward and l_B backward (see [16]) in the respective coset $\mathcal{C} \star (\mathcal{D} + E_1)$ or $\mathcal{C} \star (\mathcal{D} + E_2)$. By Lemma 4 these are $\mathcal{RS}(n, 2k + t - 1)$ codes and can therefore be decoded up to half their minimum distance $d_1 = d_2 = n - 2k - t + 2$.
- 3) Build reduced trellis and find the maximum-likelihood path with the Viterbi algorithm.
- 4) By Lemma 4 the codes $\mathcal{C} \star \mathcal{D}$, $\mathcal{C} \star E_1$ and $\mathcal{C} \star E_2$ intersect trivially, and it follows that the parts of the file X^i can be recovered uniquely from the codeword corresponding to the most likely path.

Theorem 2. *If (3) holds, where $\bar{d}_t^r$ is given by (2) with $d_{\alpha} = n - 3k - t + 2$ and $d_1 = d_2 = n - 2k - t + 2$, decoding of the responses is successful and the file X^i is decoded correctly.*

Proof: By [16] the maximum likelihood path will be in the reduced trellis if (3) holds, which depends on the distance d_{α} in each block and the distances d_1 and d_2 in the corresponding cosets of the neighboring blocks. For the code given by the responses $\{r_1^i, \dots, r_{\ell+1}^i\}$ these are shown in Lemma 4. If the path is contained in the trellis, the Viterbi decoder will find it, as it is an ML decoder. ■

Corollary 1. *The PIR rate of the scheme is $R_{PIR} = \frac{\ell k}{(\ell+1)n}$, with $n > 3k + t - 1$ and has error correction capability similar to an optimal $(n - (k + t - 1), k)$ UM-code.*

This result is similar to the scheme of [15] which also has error/erasure correction capability similar to an optimal (MDS) block code of shorter length. This allows for a direct comparison, *i.e.*, in any non-private setting where a block convolutional code performs better than a comparable block code, our scheme will perform better when the privacy requirement is introduced.

ACKNOWLEDGMENT

The authors would like to acknowledge Dr. Oliver W. Gnilke for fruitful discussions on this topic and for helpful comments regarding the manuscript.

REFERENCES

- [1] B. Chor, O. Goldreich, E. Kushilevitz, and M. Sudan, "Private information retrieval," in *IEEE Annual Symposium on Foundations of Computer Science*, 1995, pp. 41–50.
- [2] B. Chor, E. Kushilevitz, O. Goldreich, and M. Sudan, "Private information retrieval," *Journal of the ACM*, vol. 45, no. 6, pp. 965–981, 1998.
- [3] N. B. Shah, K. V. Rashmi, and K. Ramchandran, "One extra bit of download ensures perfectly private information retrieval," in *2014 IEEE International Symposium on Information Theory*, 2014, pp. 856–890.
- [4] A. Fazeli, A. Vardy, and E. Yaakobi, "Codes for distributed PIR with low storage overhead," in *2015 IEEE International Symposium on Information Theory (ISIT)*, 2015, pp. 2852–2856.
- [5] R. Tajeddine and S. El Rouayheb, "Private information retrieval from MDS coded data in distributed storage systems," in *2016 IEEE Int. Symp. on Inform. Theory (ISIT)*, July 2016, pp. 1411–1415.
- [6] H. Sun and S. Jafar, "The capacity of private information retrieval," *IEEE Transactions on Information Theory*, vol. 63, no. 7, pp. 4075–4088, July 2017.
- [7] K. Banawan and S. Ulukus, "The capacity of private information retrieval from coded databases," *IEEE Transactions on Information Theory*, vol. 64, no. 3, pp. 1945–1956, March 2018.
- [8] H. Sun and S. A. Jafar, "The capacity of private information retrieval with colluding databases," in *2016 IEEE Global Conference on Signal and Information Processing (GlobalSIP)*, Dec 2016, pp. 941–946.
- [9] K. A. Banawan and S. Ulukus, "The capacity of private information retrieval from byzantine and colluding databases," *CoRR*, vol. abs/1706.01442, 2017. [Online]. Available: <http://arxiv.org/abs/1706.01442>
- [10] R. Freij-Hollanti, O. W. Gnilke, C. Hollanti, and D. A. Karpuk, "Private information retrieval from coded databases with colluding servers," *SIAM Journal on Applied Algebra and Geometry*, no. 1, pp. 647–664, Jan. 2017.
- [11] R. Ostrovsky and W. E. Skeith III, "Private searching on streaming data," in *CRYPTO 2005*, 2005, pp. 223–240.
- [12] J. Bethencourt, D. X. Song, and B. Waters, "New techniques for private stream searching," *ACM Transactions on Information and System Security*, vol. 12, pp. 16:1–16:32, 2009.
- [13] M. Finiasz and K. Ramchandran, "Private stream search at the same communication cost as a regular search: Role of ldpc codes," *2012 IEEE Inter. Symp. on Inform. Theory (ISIT)*, pp. 2556–2560, 2012.
- [14] R. Tajeddine, O. W. Gnilke, D. Karpuk, R. Freij-Hollanti, C. Hollanti, and S. El Rouayheb, "Private information retrieval schemes for coded data with arbitrary collusion patterns," in *2017 IEEE International Symposium on Information Theory (ISIT)*. IEEE, 2017, pp. 1908–1912.
- [15] R. Tajeddine, O. W. Gnilke, D. Karpuk, R. Freij-Hollanti, and C. Hollanti, "Robust private information retrieval from coded systems with byzantine and colluding servers," in *2018 IEEE International Symposium on Information Theory (ISIT)*. IEEE, 2018.
- [16] U. Dettmar and U. K. Sorger, "Bounded minimum distance decoding of unit memory codes," *IEEE Transactions on Information Theory*, vol. 41, no. 2, pp. 591–596, 1995.
- [17] L. Holzbaur, R. Freij-Hollanti, A. Wachter-Zeh, and C. Hollanti, "Private streaming with convolutional codes," *Available on arxiv.org*, 2018.